



LOAD CERTIFICATES: 280/70R16

Brand: ASCENSO

Tread Pattern : CDR 700

Tyre Construction: Radial

LSI : 112 D

Type: Tube Less

Main Applications: Compact Tractors

TRA Code : R1W



Salient Features

MULTI-ANGLE TREAD PATTERN:

- Distinctive shoulder design provides high traction.
- Dual Mud Breaker ensure better self-cleaning properties.

Handling & Comfort:

- Larger Footprint ensures better stability on Field and on road.
- Safeguards comforts on all surfaces.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)							
		SW	OD					Speed, km/h (mph)							
		mm	mm					Mixed application							
		in	in	mm	mm			bar	Static	10	25	30	40	50	65
		in	in	in	in			psi		6	16	19	25	31	40
280/70R16	W8L	272 10.71	798 31.42	365 14.37	2387 93.98	112 D	1.2	1560	1020	810	780	740	710	680	
							17	3440	2250	1780	1720	1630	1560	1500	
							1	1730	1130	890	860	820	790	750	
							20	3810	2490	1960	1890	1810	1740	1650	
							1.7	1980	1290	1020	990	940	900	860	
							25	4360	2840	2250	2180	2070	1980	1890	
							2.1	2320	1520	1200	1160	1110	1060	1010	
							30	5110	3350	2640	2560	2440	2330	2220	
							2.4	2580	1680	1330	1290	1230	1180	1120	
35	5680	3700	2930	2840	2710	2600	2470								

Note: All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com