



# LOAD CERTIFICATES: 280/70R20

---

**Brand:** ASCENSO

**Tread Pattern :** CDR 700

**Tyre Construction:** Radial

**LSI :** 116 D

**Type:** Tube Less

**Main Applications:** Compact Tractors

**TRA Code :** R1W



## Salient Features

### **MULTI-ANGLE TREAD PATTERN:**

- Distinctive shoulder design provides high traction.
- Dual Mud Breaker ensure better self-cleaning properties.

### **Handling & Comfort:**

- Larger Footprint ensures better stability on Field and on road.
- Safeguards comforts on all surfaces.



# Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)						
								Speed, km/h (mph)						
								Mixed application						
		SW	OD					Static		10	25	30	40	50
mm	mm	mm	mm	bar	psi	6	16	19	25	31	40			
in	in	in	in											
280/70R20	W9	282 11.10	900 35.43	416 16.38	2692 105.98	116 D	1.2	1730	1130	890	860	820	790	750
							17	3810	2490	1960	1890	1810	1740	1650
							1	1910	1250	980	950	910	870	830
							20	4210	2750	2160	2090	2000	1920	1830
							1.7	2210	1440	1140	1100	1050	1010	960
							25	4870	3170	2510	2420	2310	2220	2110
							2.1	2600	1700	1340	1300	1240	1190	1130
							30	5730	3740	2950	2860	2730	2620	2490
							2.4	2880	1880	1480	1440	1370	1310	1250
							35	6340	4140	3260	3170	3020	2890	2750

**Note:** All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover