



LOAD CERTIFICATES: 340/65R18

Brand: ASCENSO

Tread Pattern : CDR 700

Tyre Construction: Radial

LSI : 113 D

Type: Tube Less

Main Applications: Compact Tractors

TRA Code : R1W



Salient Features

MULTI-ANGLE TREAD PATTERN:

- Distinctive shoulder design provides high traction.
- Dual Mud Breaker ensure better self-cleaning properties.

Handling & Comfort:

- Larger Footprint ensures better stability on Field and on road.
- Safeguards comforts on all surfaces.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)							
		Speed, km/h (mph)													
		Mixed application													
		bar	Static					10	25	30	40	50	65		
		psi						6	16	19	25	31	40		
340/65R18	W11	343 13.5	899 35.4	411 16.2	2689 105.9	113 D	0.8	1700	1110	880	850	810	780	740	
							12	3740	2440	1940	1870	1780	1720	1630	
							1	1930	1260	1000	970	920	880	840	
							15	4250	2780	2200	2140	2030	1940	1850	
							1.2	2190	1430	1130	1090	1040	1000	950	
							17	4820	3150	2490	2400	2290	2200	2090	
							1.4	2420	1580	1240	1210	1150	1100	1050	
							20	5330	3480	2730	2670	2530	2420	2310	
							1.6	2650	1730	1360	1320	1260	1210	1150	
23	5840	3810	3000	2910	2780	2670	2530								

Note: All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com