



LOAD CERTIFICATE : 18.4-26 IND

Brand: ASCENSO

Tread Pattern : BHB 310

Ply Rating : 14

Tyre Construction: Bias

Type: Tube Less

Main Applications: Backhoe Loader

TRA Code : R-4



Salient Features

Robust Tread Design:

- Optimum contact area for better stability
- Excellent self cleaning
- Minimum slippage and enhanced traction

Strong Nylon Carcass:

Safeguards the tyre against failures

Thick Under Tread:

Ensures protection from cut and punctures



Technical Specification

| Size | Rim | Unloaded Dimension | | SLR | RC | LI/SI or PR | Infl. Pressure | Recommend load, kg (lbs) | | |
|-------------|-----|--------------------|--------------|-------------|---------------|-----------------|----------------|--------------------------|-----|----|
| | | SW | OD | | | | | Speed, km/h(mph) | | |
| | | mm | mm | | | | mm | mm | Bar | 40 |
| | | In | in | | | | in | in | Psi | 25 |
| 18.4-26 IND | 16 | 467 18.4 | 1426 56.1 | 647 25.5 | 4265 167.9 | 12 PR 156 A8 | 2.5 | 4000 | | |
| | | | | | | | 37 | 8810 | | |
| | | | | | | 14 PR 159 A8 | 3 | 4375 | | |
| | | | | | | | 43 | 9640 | | |

For Mahansaria Tyres Private Limited



Rakshit Singh
Global Product Manager

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover