



# LOAD CERTIFICATE : 18.4-26 IND

**Brand:** ASCENSO

**Tread Pattern :** BHB 310

**Ply Rating :** 12

**Tyre Construction:** Bias

**Type:** Tube Less

**Main Applications:** Backhoe Loader

**TRA Code :** R-4



## Salient Features

### **Robust Tread Design:**

- Optimum contact area for better stability
- Excellent self cleaning
- Minimum slippage and enhanced traction

### **Strong Nylon Carcass:**

Safeguards the tyre against failures

### **Thick Under Tread:**

Ensures protection from cut and punctures



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Infl. Pressure	Recommend load, kg (lbs)		
		SW	OD					Speed, km/h(mph)		
		mm	mm				mm	mm	Bar	40
		In	in				in	in	Psi	25
18.4-26 IND	16	467 18.4	1426 56.1	647 25.5	4265 167.9	12 PR 156 A8	2.5	4000		
							37	8810		
						14 PR 159 A8	3	4375		
							43	9640		

For Mahansaria Tyres Private Limited



Rakshit Singh  
Global Product Manager

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover