



LOAD CERTIFICATE: 9.00 - 20

Brand: ASCENSO

Tread Pattern : EXB 380

Ply Rating : 14

Type : Tube Type

Main Applications: Excavator

TRA Code : E-2



Salient Features

Optimized Lug Angle:

Excellent traction & self cleaning
Properties

Wider Tread Pattern:

Provides excellent stability during
vehicle operation

Strong Nylon Casing:

Enhanced load carrying capacity



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)									
		SW	OD					Speed, km/h(mph)									
		mm	mm	mm	mm		Bar	5	10	20	25	30	35	40	45	50	
		In	in	in	in		Psi	3	6	12	16	19	22	25	28	31	
9.00-20	7	258	1018	465	3045	14PR	7.0	5000	3500	2930	2830	2780	2750	2650	2550	2500	
		10.2	40.1	18.3	119.9	140 B	102	11010	7710	6450	6230	6120	6060	5840	5620	5510	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com