



## FTB 190 : 700/50 – 26.5

**Brand:** ASCENSO

**Tread Pattern :** FTB 190

**Ply Rating :** 16

**Tyre Construction:** Bias

**Type:** Tube Less

**Main Applications:** Baler and Trailers

**TRA Code :** I-3



## Salient Features

### **Optimized Flotation Design:**

- Reduces soil compaction
- Generates traction
- Better self cleaning properties

### **Enhanced Carcass Construction:**

Ensures high load carrying capacity



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Recommended load , kg ( lbs)								
		SW	OD				Speed , km/h ( mph)								
							Free rolling				Drive wheel				
							Bar	10	25	40	50	10	25	40	50
Mm	mm	mm	mm	Psi	6	16	25	31	6	16	25	31			
In	in	in	In												
700/50-26.5	20	727 26.8	1333 52.4	609 23.9	3987 156.9	16PR 174 A8 FR 170 B FR 162 A8 DW 158 B DW	1.8	7920	6740	5660	5090	5610	4770	4010	3609
							26	17424	14828	12452	11198	12342	10494	8822	7940
							2	8430	7160	6020	5420	5980	5080	4270	3843
							29	18546	15752	13244	11924	13156	11176	9394	8455
							2.2	8920	7580	6370	5730	6310	5370	4510	4059
							32	19624	16676	14014	12606	13882	11814	9922	8930
							2.4	9380	7970	6700	6030	6650	5650	4750	4275
							35	20636	17534	14740	13266	14630	12430	10450	9405

**Note:** All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover