



LOAD CERTIFICATE: 10.0/75-15.3

Brand: ASCENSO

Tread Pattern : IMB 162

Ply Rating : 10

Tyre Construction : Bias

Type : Tubeless

Main Applications: 2WD Tractor and Trailers

TRA Code : R-1



Salient Features

Specially Designed Directional Tread Pattern :

Ensures excellent traction & self cleaning properties

Superior Carcass Construction:

High load carrying capacity

Special Tread Compound:

Ensures longer tyre life



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	PR	Free/ Drive Wheel	Recommended load , kg (lbs)								
		SW	OD					Speed , km/h (mph)								
		mm	mm	Free rolling				Drive wheel								
		In	in	mm	mm			Bar	10	25	40	50	10	25	40	50
							LI/SI	Psi	6	16	25	31	6	16	25	31
10.0/75-15.3	9	264	780	356	2333	10	123A8 FR 111A8 DW	3	1860	1580	1330	1200	1320	1120	940	846
								44	4092	3476	2926	2640	2904	2464	2068	1861
								3.3	1970	1680	1410	1270	1390	1180	990	891
								48	4334	3696	3102	2794	3058	2596	2178	1960
								3.6	2070	1760	1480	1330	1460	1240	1040	936
								52	4554	3872	3256	2926	3212	2728	2288	2059
								3.9	2170	1840	1550	1400	1530	1300	1090	981
57	4774	4048	3410	3080	3366	2860	2398	2158								

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com