



LOAD CERTIFICATE: 12-16.5

Brand: ASCENSO

Tread Pattern : SSB 330

Ply Rating : 10

Tyre Construction : Bias

Type : Tubeless

Main Applications: Skid Steer

TRA Code : R-4



Salient Features

Solid Centre Lug:

Improve tyre wear on hard surface

Open Shoulder Design:

Increases traction on loose off-road surface



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommend load, kg (lbs)	
		SW	OD					Speed, km/h(mph)	
		mm	mm				mm	mm	Mixed Application
		in	in				in	in	Bar
								Psi	7
12-16.5	9.75	307 12.1	831 32.7	380 15.0	2486 97.9	10 PR 140 A2	4.5	2550	
							65	5600	
						12PR 145 A2	5.5	2900	
							80	6393	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com