



## TDB 120:16.9-38

**Brand:** ASCENSO

**Tread Pattern :** TDB 120

**Ply Rating :** 8

**Main Applications:** 2WD Tractor

**TRA Code :** R-1



## Salient Features

### **Wider Lugs:**

Easy to penetrate the soil ,generates optimum traction and ensures comfortable ride

### **Sturdy Sidewall Structure:**

Provides resistance to external damage

### **Strong Nylon Carcass:**

Safeguards the tyre against failures



# Technical Specification

Size		Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommended load , kg(lbs)							
			Speed , km/h(mph)													
			Field Operation						Road Operation; Not High and Sustained Torque							
			High Torque	Low Torque												
			Bar	10					10	20	Static	10	20	30	40	
Psi	6	6	12	6	16	20	25									
16.9-38	W15L	W14L, DW14, W15A	429 16.9	1689 66.5	782 30.8	5052 198.9	8PR  141 A8	1.5	2610	3660	3000	5610	3660	3000	2610	2440
								22	5750	8060	6610	12360	8060	6610	5750	5370
								<b>1.65</b>	2760	3860	3170	5920	3860	3170	2760	2575
								24	6080	8500	6980	13040	8500	6980	6080	5670

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)