



LOAD CERTIFICATE : 9.5-20

Brand: ASCENSO

Tread Pattern : TDB 120

Ply Rating : 6

Main Applications:2WD Tractor

TRA Code : R-1



Salient Features

Wider Lugs:

Easy to penetrate the soil ,generates optimum traction and ensures comfortable ride

Sturdy Sidewall Structure:

Provides resistance to external damage

Strong Nylon Carcass:

Safeguards the tyre against failures



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommended load , kg(lbs)							
		SW	OD					Speed , km/h(mph)							
								Field Operation			Road Operation; Not High and Sustained Torque				
								High Torque	Low Torque		Static				
		Bar	10					10	20	10		20	30	40	
Psi	6	6	12	6	16	20	25								
9.5-20	W7	241 9.5	945 37.2	435 17.1	2827 111.3	6 PR 99 A8	1.7	740	1040	850	1590	1040	850	740	690
							25	1630	2290	1870	3500	2290	1870	1630	1520
							1.8	760	1070	870	1630	1070	870	760	710
							26	1670	2360	1920	3590	2360	1920	1670	1560
							1.9	780	1100	900	1680	1100	900	780	730
							28	1720	2420	1980	3700	2420	1980	1720	1610
							2.1	830	1160	950	1780	1160	950	830	775
							30	1830	2560	2090	3920	2560	2090	1830	1710

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com