



LOAD CERTIFICATE: 540/65R30

Brand: ASCENSO

Tread Pattern : TDR 650

Tyre Construction: Radial

LSI : 150 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Optimum Tread Design:

Maximum performance in field and on road operations

First in the Industry with Dual Mud Breakers:

Ensure better self-cleaning

Greater Lug Overlap:

Provides safe and comfortable ride at high speeds



Technical Specification

Size	W	Rim	Unloaded Dimension		SLR	RC	Load Index	PR Symbols	Recommended load, kg (lbs)						
			SW	OD					Speed, km/h (mph)						
									Mixed application						
									Bar	10	25	30	40	50	65
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
in	in	in	in	in	in	in	in	Static	6	16	19	25	31	40	
540/65 R 30	W16L	530 20.8	1464 57.6	671 26.4	4379 172.4	150 D	1.2	4620	3020	2380	2310	2200	2110	2010	
							17	10180	6650	5240	5090	4850	4650	4430	
							1	5130	3350	2640	2560	2440	2340	2230	
							20	11300	7380	5810	5640	5370	5150	4910	
							1.7	5910	3860	3050	2960	2810	2700	2570	
							25	13020	8500	6720	6520	6190	5950	5660	
							2.1	6950	4530	3580	3470	3310	3170	3020	
							30	15310	9980	7890	7640	7290	6980	6650	
							2.4	7710	5030	3970	3850	3670	3520	3350	
							35	16980	11080	8740	8480	8080	7750	7380	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com