



LOAD CERTIFICATES : 520/70R38

Brand: ASCENSO

Tread Pattern : TDR 700

Tyre Construction: Radial

LSI: 150 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
								Mixed application									
								Bar	Static	10	25	30	40	50	65		
		mm	mm	mm	mm		Psi										
		in	in	in	in												
520/70 R 38	W16	516 20.3	1749 68.9	806 31.7	5231 205.9	150 D	0.8	4920	3210	2540	2460	2340	2250	2140			
							12	10840	7070	5590	5420	5150	4960	4710			
							1	5610	3660	2890	2810	2670	2560	2440			
							15	12360	8060	6370	6190	5880	5640	5370			
							1.2	6330	4130	3260	3160	3010	2890	2750			
							17	13940	9100	7180	6960	6630	6370	6060			
							1.4	7020	4580	3610	3510	3340	3200	3050			
							20	15460	10090	7950	7730	7360	7050	6720			
							1.6	7710	5030	3970	3850	3670	3520	3350			
23	16980	11080	8740	8480	8080	7750	7380										

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com