



LOAD CERTIFICATE: 460/85R34

Brand: ASCENSO

Tread Pattern : TDR 850

Tyre Construction: Radial

LSI : 147D

Type: Tube Less

Main Applications: 2WD & 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)							
								Speed, km/h (mph)							
								Mixed application							
		SW	OD							10	25	30	40	50	65
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm			
in	in	in	in	in	in	in	in	in	in	in	in	in			
								Static	6	16	19	25	31	40	
								Bar	0.8	12	1	15	1.2	17	
								Psi	12	1	15	1.2	17	1.4	
								20	1.6	23	15570	10150	8020	7800	
460/85 R34	W16L	475	1646	755	4923	147 D	0.8	4510	2940	2320	2250	2150	2060	1960	
								12	9930	6480	5110	4960	4740	4540	4320
								1	5150	3360	2650	2580	2450	2350	2240
								15	11340	7400	5840	5680	5400	5180	4930
								1.2	5800	3780	2990	2900	2760	2650	2520
								17	12780	8330	6590	6390	6080	5840	5550
								1.4	6440	4200	3320	3220	3070	2940	2800
								20	14190	9250	7310	7090	6760	6480	6170
								1.6	7070	4610	3640	3540	3370	3230	3075
								23	15570	10150	8020	7800	7420	7110	6770

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com