



LOAD CERTIFICATE: 520/85R46

Brand: ASCENSO

Tread Pattern : TDR 850

Tyre Construction: Radial

LSI : 158 D

Type: Tube Less

Main Applications: 2WD & 4WD Tractor

TRA Code : R-1W



Salient Features

Tractor tyres designed with a unique mud breaker:

- Low soil compaction
- High traction
- Excellent driving experience



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
								Mixed application						
								Bar	Static	10	25	30	40	50
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
in	in	in	in	in	in	in	Psi	Static	6	16	19	25	31	40
520/85R46	DW16L	516 20.3	2052 80.8	949 37.3	6138 242.6	158 D	0.8	6210	4050	3200	3110	2960	2840	2700
							12	13680	8920	7050	6850	6520	6260	5950
							1	7080	4620	3650	3540	3370	3230	3080
							15	15590	10180	8040	7800	7420	7110	6780
							1.2	7980	5210	4110	3990	3800	3640	3470
							17	17580	11480	9050	8790	8370	8020	7640
							1.4	8880	5790	4570	4440	4230	4050	3860
							20	19560	12750	10070	9780	9320	8920	8500
							1.6	9780	6380	5040	4890	4650	4460	4250
23	21540	14050	11100	10770	10240	9820	9360							

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com