



# LOAD CERTIFICATE: 520/85R46

**Brand:** ASCENSO

**Tread Pattern :** TDR 850

**Tyre Construction:** Radial

**LSI :** 169 D

**Type:** Tube Less

**Main Applications:** 2WD & 4WD Tractor

**TRA Code :** R-1W



## Salient Features

### **Tractor tyres designed with a unique mud breaker:**

- Low soil compaction
- High traction
- Excellent driving experience



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbol s	Inflation Pressure	Recommended load, kg (lbs)							
								Speed, km/h (mph)							
								Mixed application							
		Bar	Static					10	25	30	40	50	65		
		mm	mm	mm	mm		Psi			6	16	19	25	31	40
		in	in	in	in										
520/85R46	DW16L	516 20.3	2052 80.8	949 37.3	6138 242.6	169 D	1.6	7730	5040	3980	3860	3680	3530	3360	
							23	17030	11100	8770	8500	8110	7780	7400	
							2	8790	5730	4530	4390	4180	4010	3820	
							28	19360	12620	9980	9670	9210	8830	8410	
							2.3	10190	6650	5250	5090	4850	4650	4430	
							33	22440	14650	11560	11210	10680	10240	9760	
							2.8	11940	7790	6150	5970	5680	5450	5190	
							41	26300	17160	13550	13150	12510	12000	11430	
							<b>3.2</b>	13340	8700	6870	6670	6350	6090	<b>5800</b>	
46	29380	19160	15130	14690	13990	13410	12780								

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)