



# LOAD CERTIFICATES: 710/70 R 38

**Brand:** ASCENSO

**Tread Pattern :** XLR 880

**Tyre Construction:** Radial

**LSI :** 172 D

**Type:** Tube Less

**Main Applications:** 4WD Tractor

**TRA Code :** R-1W



## Salient Features

### **Optimum Tread Design:**

Maximum performance in field and on road operations

### **First in the Industry with Dual Mud Breakers:**

Ensure better self-cleaning and Maximum traction

### **Greater Lug Overlap:**

Provides safe and comfortable ride at high speeds



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)									
		SW	OD					Speed, km/h (mph)									
								Mixed application									
								Bar	Static	10	25	30	40	50	65		
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
in	in	in	in	in	in	in	Psi	Static	6	16	19	25	31	40	40	50	63
710/70 R 38	DW23B	716 28.2	1959 77.1	893 35.2	5859 230.7	172 D	1.2	8690	5670	4480	4350	4140	3970	3780			
							17	19140	12490	9870	9580	9120	8740	8330			
							1	9660	6300	4980	4830	4600	4410	4200			
							20	21280	13880	10970	10640	10130	9710	9250			
							1.7	11110	7250	5720	5550	5290	5070	4830			
							25	24470	15970	12600	12220	11650	11170	10640			
							2.1	13040	8510	6720	6520	6210	5950	5670			
							30	28720	18740	14800	14360	13680	13110	12490			
							2.4	14490	9450	7470	7250	6900	6620	6300			
							35	31920	20810	16450	15970	15200	14580	13880			

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6<sup>th</sup> Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)