



LOAD CERTIFICATES: 710/70 R 42

Brand: ASCENSO

Tread Pattern : XLR 880

Tyre Construction: Radial

LSI : 173 D

Type: Tube Less

Main Applications: 4WD Tractor

TRA Code : R-1W



Salient Features

Optimum Tread Design:

Maximum performance in field and on road operations

First in the Industry with Dual Mud Breakers:

Ensure better self-cleaning and Maximum traction

Greater Lug Overlap:

Provides safe and comfortable ride at high speeds



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	Load Index PR Symbols	Inflation Pressure	Recommended load, kg (lbs)						
		SW	OD					Speed, km/h (mph)						
								Mixed application						
								Bar	Static	10	25	30	40	50
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
in	in	in	in	in	in	in	Psi	6	16	19	25	31	40	
710/70 R 42	DW23B	716 28.2	2061 81.1	944 37.2	6164 242.7	173 D	1.2	8970	5850	4620	4490	4270	4100	3900
							17	19760	12890	10180	9890	9410	9030	8590
							1	9960	6500	5130	4980	4740	4550	4330
							20	21940	14320	11300	10970	10440	10020	9540
							1.7	11450	7470	5900	5730	5450	5230	4980
							25	25220	16450	13000	12620	12000	11520	10970
							2.1	13460	8780	6930	6730	6410	6140	5850
							30	29650	19340	15260	14820	14120	13520	12890
							2.4	14950	9750	7700	7480	7120	6830	6500
							35	32930	21480	16960	16480	15680	15040	14320

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com