



# LOAD CERTIFICATES: 560/60R22.5

**Brand:** ASCENSO

**Tread Pattern :** FTR 170

**Tyre Construction:** Radial

**LSI :** 165 D

**Type:** Tube Less

**Main Applications:** Implements, Trailers, Slurry Tankers and Dump Trailer

**TRA Code :** IMP



## Salient Features

### Steel Belted Directional Tread for Superior Traction:

- Homogenous Pattern for On Road and Farm Applications
  - Tyres Designed for High load and Speed Operations.
  - Ensure traction and self-cleaning during field operation.
  - Enhanced Roadability ensuring Better Mileage.



## Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)										
		Speed, km/h (mph)																
		Mixed application																
		bar	psi	Static	10			25	30	40	50	65						
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in	in
560/60R22.5	AG16.00	543 21.4	1249 49.2	565 22.2	3735 147	165 D	2.8	8050	6300	5530	5290	4760	4240	3500				
							41	17730	13880	12180	11650	10480	9340	7710				
							3.2	8860	6930	6080	5810	5240	4660	3850				
							46	19520	15260	13390	12800	11540	10260	8480				
							3.6	9730	7610	6680	6390	5750	5120	4230				
							52	21430	16760	14710	14070	12670	11280	9320				
							4.0	10650	8330	7320	6990	6300	5600	4630				
							58	23460	18350	16120	15400	13880	12330	10200				
							5	11850	9270	8140	7780	7000	6230	5150				
73	26100	20420	17930	17140	15420	13720	11340											

**Note:** All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)