



LOAD CERTIFICATES: 710/50R26.5 (SB)

Brand: ASCENSO

Tread Pattern : FTR 170

Tyre Construction: Radial

LSI : 170 D

Type: Tube Less

Main Applications: Implements, Trailers, Slurry Tankers and Dump Trailer

TRA Code : IMP



Salient Features

Steel Belted Directional Tread for Superior Traction:

- Homogenous Pattern for On Road and Farm Applications
- Tyres Designed for High load and Speed Operations.
- Ensure traction and self-cleaning during field operation.
- Enhanced Roadability ensuring Better Mileage.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)						
								Speed, km/h (mph)						
		SW	OD	mm	mm			Mixed application						
		mm	mm					bar	Static	10	25	30	40	50
in	in	in	in	psi		6	16	19	25	31	40			
710/50R26.5 (SB)	AG24.00	726 28.6	1383 54.4	629 24.8	4136 162.8	170 D	2.4	9320	7290	6400	6120	5510	4900	4050
							35	20530	16060	14100	13480	12140	10790	8920
							2.8	10560	8260	7250	6930	6240	5550	4590
							41	23260	18190	15970	15260	13740	12220	10110
							3.2	11620	9090	7980	7630	6870	6110	5050
							46	25590	20020	17580	16810	15130	13460	11120
							3.6	12770	9990	8770	8380	7550	6720	5550
							52	28130	22000	19320	18460	16630	14800	12220
							4	13800	10800	9480	9060	8160	7260	6000
							58	30400	23790	20880	19960	17970	15990	13220

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Private Limited, 3rd Floor, Peninsula Chambers, Peninsula Corporate Park, G K Marg, Lower Parel West, Mumbai Maharashtra - 400013, India.

T: +91 22 4348 1600 Website: www.ascensotyres.com