



LOAD CERTIFICATES: 710/50R30.5 (SB)

Brand: ASCENSO

Tread Pattern : FTR 170

Tyre Construction: Radial

LSI : 176 D

Type: Tube Less

Main Applications: Implements, Trailers, Slurry Tankers and Dump Trailer

TRA Code : IMP



Salient Features

Steel Belted Directional Tread for Superior Traction:

- Homogenous Pattern for On Road and Farm Applications
- Tyres Designed for High load and Speed Operations.
- Ensure traction and self-cleaning during field operation.
- Enhanced Roadability ensuring Better Mileage.



Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)							
								Speed, km/h (mph)							
		SW	OD	mm	mm	mm	mm	bar	Mixed application						
		mm	mm						psi	Static	10	25	30	40	50
		in	in	in	in	in	in	psi	Static	6	16	19	25	31	40
710/50R30.5 (SB)	AG20.00	686	1485	680	4441	176 D	2.8	11250	8800	7730	7380	6650	5920	4890	
							41	24780	19380	17030	16260	14650	13040	10770	
							3.2	12370	9680	8500	8120	7320	6510	5380	
							46	27250	21320	18720	17890	16120	14340	11850	
							3.6	13590	10640	9340	8920	8040	7150	5910	
							52	29930	23440	20570	19650	17710	15750	13020	
							4.0	14880	11650	10220	9770	8800	7830	6470	
							58	32780	25660	22510	21520	19380	17250	14250	
							4.4	16330	12780	11220	10720	9660	8590	7100	
							64	35970	28150	24710	23610	21280	18920	15640	

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Private Limited, 3rd Floor, Peninsula Chambers, Peninsula Corporate Park, G K Marg, Lower Parel West, Mumbai Maharashtra - 400013, India.

T: +91 22 4348 1600 Website: www.ascensotyres.com