



## LOAD CERTIFICATES: 750/45R26.5 (SB)

**Brand:** ASCENSO

**Tread Pattern :** FTR 170

**Tyre Construction:** Radial

**LSI :** 170 D

**Type:** Tube Less

**Main Applications:** Implements, Trailers, Slurry Tankers and Dump Trailer

**TRA Code :** IMP



## Salient Features

### Steel Belted Directional Tread for Superior Traction:

- Homogenous pattern for On Road and Farm Applications
- Tyres Designed for High load and Speed Operations.
- Ensure traction and self-cleaning during field operation.
- Enhanced Roadability ensuring Better Mileage.



# Technical Specification

Size	Rim	Unloaded Dimension		Static Load Radius	Rolling Circumference	Load Index / Speed Index	Inflation Pressure	Recommended load, kg (lbs)						
		Speed, km/h (mph)												
		Mixed application												
		bar psi	Static					10	25	30	40	50	65	
								6	16	19	25	31	40	
mm	OD	mm	mm	mm	mm	mm	mm							
in	in	in	in	in	in	in	in							
750/45R26.5 (SB)	AG24.00	754 29.69	1349 53.11	615 24.21	4035 158.86	170 D	2.4	9250	7240	6350	6070	5470	4860	4020
							35	20370	15950	13990	13370	12050	10700	8850
							2.8	10490	8210	7200	6890	6200	5520	4560
							41	23110	18080	15860	15180	13660	12160	10040
							3.2	11520	9020	7920	7570	6810	6060	5010
							46	25370	19870	17440	16670	15000	13350	11040
							3.6	12670	9920	8710	8320	7490	6670	5510
							52	27910	21850	19190	18330	16500	14690	12140
							4	13800	10800	9480	9060	8160	7260	6000
							58	30400	23790	20880	19960	17970	15990	13220

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Private Limited, 3rd Floor, Peninsula Chambers, Peninsula Corporate Park, G K Marg, Lower Parel West, Mumbai Maharashtra - 400013, India.

T: +91 22 4348 1600 Website: [www.ascensotyres.com](http://www.ascensotyres.com)