



LOAD CERTIFICATE: 31x15.50-15

Brand: ASCENSO

Tread Pattern : IMB 165

Ply Rating : 10

Tyre Construction : Bias

Type : Tubeless

Main Application : Backhoe Loader, trench digging, tillage and orchard harvesting

TRA Code : IMP



Salient Features

- Optimal Tread Design
 - Excellent traction & self-cleaning
 - High contact area for better stability and driving comfort
- Superior Carcass
 - Ensures better load carrying capacity



Technical Specification

Size	Rec. Rim	Alt. Rim	Unloaded dimension		Loaded Static Radius	Rolling Circumference	PR / Load Index	Inflation Pressure	Recommend load (kg)
			SW	OD				bar	50
			mm	mm				mm	mm
31X15.50-15	13LB	-	390	800	363	2393	10 PR 121 B	4.1	1450
			15.4	31.5	14.3	94.2		59	3200

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com