



**445/45R19.5 Kargo-Radial**

Inch	19.5"
Tyre Size	445/45R19.5
Tread Pattern	Kargo-Radial
PR/LI	160F
Tread Pattern Depth	17 mm
Overall Diameter	940 mm
Section Width	445 mm
Static Loading Radius	430 mm
Load Capacity	3750 kg
Inflation Pressure	9 bar
Speed Limit	40 km/h
Type (New or Remould)	Remould
Rim Size	14.00x19.5

**Load/speed index**

Snelheid (km/h)	0	10	25	30	40	65	80
Draagvermogen (kg)	11700	8400	6300	5650	5400	4830	45

Alle gegevens volgens ETRTO normen. Mag niet gekopieerd en/of verspreid worden zonder schriftelijke toestemming van Hollandse Bandenmarkt Internationaal BV



**Hoofdkantoor**

**Hollandse Bandenmarkt Internationaal BV**

Stevinweg 25 • 4691 SM Tholen • The Netherlands

T +31 (0)166 60 10 40 • F +31 (0)166 60 10 41 • info@hbi-tyres.com

Wilt  
u meer  
informatie?  
Bel of mail ons.

[www.hbi-tyres.com](http://www.hbi-tyres.com)



ISO 9001:2008  
gecertificeerd



### 445/45R19.5 Kargo-Radial



Inch	19.5"
Tyre Size	445/45R19.5
Tread Pattern	Kargo-Radial
PR/LI	160F
Tread Pattern Depth	17 mm
Overall Diameter	940 mm
Section Width	445 mm
Static Loading Radius	450 mm
Load Capacity	3750 kg
Inflation Pressure	9 bar
Type (New or Remould)	Remould
Rim Size	14.00x19.5

